MATERIAL SAFETY DATA SHEET Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

HMIS: H2 F2 R0 SB NFPA: H2 F2 R0 P-LEVEL 1 AEROSOL

Identity:	707 A	NT AND	ROACH	SPRAY	-	PINE		CODE:	7722
-----------	-------	--------	-------	-------	---	------	--	-------	------

SECTION				ADDRESS

1-800-535-5053 Emergency Telephone: SAFEGUARD CHEMICAL CORP Telephone # for information: 718-585-3170 411 WALES AVENUE BRONX, NEW YORK 10455

Date Prepared: JULY 7, 2005

Signature of Preparer (optional): LEO H.

### HAZARDOUS INGREDIENTS/IDENTITY INFORMATION SECTION II

Hazardous Components (Specific Chemical Identity)	OSHA PEL-TWA		Other Limits P Recommended (	
Deltamethrin (52918-63-5) Petroleum Distillate (8052-41-3) Isobutane (75-28-5) Propane (74-98-6)	800 ppm	NE ppm 100 ppm 800 ppm 1000 ppm	45 mcg/m³(mfr. NA NA NA	) 0.02 %

#### PHYSICAL/CHEMICAL CHARACTERISTICS SECTION III

Boiling Point (°F): (conc.) 212 Vapor Pressure @ /ol.

Vapor Density (Air = 1): > 1

Evaporation Race.

(Butyl Acetate = 1) Vapor Pressure @ 70°F: 46 psig

Specific Gravity (H,O=1): Melting Point (°F):

0.86 NΑ < 1

Appearance & Odor: Fine mist spray of white emulsion with perfume odor.

#### FIRE & EXPLOSION HAZARD DATA SECTION IV

Flash Point (°F): NA, TCC

Flammability Limit:

LEL NA

UEL NA

Extinguishing Media: Water, water fog, dry chemical, CO,

Special Firefighting Procedures: Self-contained respiratory protection should be provided for fireman fighting in buildings or confined areas.

Unusual Fire & Explosion Hazards: Aerosols are under pressure. Exposure in excess of 120°F may cause bursting of can.

#### SECTION V REACTIVITY DATA

Hazardous Polymerization: Will not occur Stability: Stable Conditions to Avoid: NA Conditions to Avoid: High temperatures

Incompatibility (Material to avoid): Strong oxidizing agents and alkalies.

Hazardous Decomposition or Byproducts: Burns to form CO,, CO and possible incompletely decomposed materials.

## SECTION VI HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? Yes Skin? Yes Ingestion? Yes

Health Hazards (Acute & Chronic): Prolonged or repeated exposure can cause irritation to skin, eyes and respiratory tract, and central nerve system disorders.

Carcinogenity: NTP? No IARC Monographs? No OSHA Regulated? No

Signs & Symptoms of Exposure: Harmful if absorbed through skin. Skin may cause transient tingling and reddening of the skin. Tearing and itching of eyes. Fatigue, dizziness, headache, lack of coordination and tremors.

Medical Conditions Generally Aggravated by Exposure: None known.

Emergency & First Aid Procedures: Flush eyes with water. Wash skin with soap and water. Remove patient to fresh air. Call a physician if necessary.

# SECTION VII PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be Taken in Case Material is Released or Spilled: Avoid inhalation of concentrated vapors. Absorb spilled material with appropriate absorbent.

Waste Disposal Method: Dispose of all waste in accordance with federal, state and local regulations.

Precautions to be Taken in Handling & Storage: Keep away from heat, sparks, open flame or direct sunshine. Do not puncture or incinerate container.

Precautions: Intentional misuse by deliberately concentrating and inhaling vapor contents can be harmful or fatal.

### SECTION VIII CONTROL MEASURES

Respiratory Protection: Not necessary under normal use.

Ventilation: Local Exhaust: Yes Special: None

Mechanical (general): None Other: None

Protective Gloves: Rubber gloves.

Eye Protection: Safety glasses or goggles or face shield.

Other Protective Clothing or Equipment: Not necessary under normal use.

Work/Hygienic Practices: Wash thoroughly with soap and water after handle.

## SECTION IX DOT SHIPPING INFORMATION

Proper Shipping Name: Consumer Commodity, Pressurized Aerosol Cans

Hazard Class: ORM-D