# SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier** 

Chemical Name Mixture
CAS No. Mixture

Trade Name SAFEGUARD BLACK JACK FLY & MOSQUITO KILLER

Product Code 10-500822

EPA Identification Number(s) EPA Reg. No. 10806-41-8848 EPA Est. No. 34631-PA-001

EPA EST. No. 5893-MA-1

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Pesticidal spray

Uses Advised Against It is a violation of Federal law to use this product in a manner

inconsistent with its labeling.

**Emergency telephone number** 

Emergency Phone No. Transportation Emergency: CHEMTREC 24 hr. 1-800-424-9300 / 1

(703) 527-3887 (Collect calls accepted)

### **SECTION 2: HAZARDS IDENTIFICATION**

## Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200) Flam. Aerosol 2; Liquefied gas

#### Label elements

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15 of this SDS.

Hazard Symbol



Signal word(s)

Hazard Statement(s) Flammable aerosol.

Contains gas under pressure; may explode if heated.

Precautionary Statement(s) Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F.

Other hazards Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Ingredient(s)	% wt. *	CAS No.	Hazard classification			
Propane	10 - 15	74-98-6	Flam. Gas 1; H220			
i Topane	10 - 13	74-90-0	Liquefied gas; H280			
n-Butane	10 - 15	106-97-8	Flam. Gas 1; H220			
11-Butane	10 - 13	100-97-0	Liquefied gas; H280			
			Flam. Liq. 3; H226			
			Skin Irrit. 2, H315			
Naphtha (petroleum) hydrotreated	5 - 7	64742-48-9	Asp. Tox. 1,H304			
heavy	3-7	5 - 7   04742-40-9	STOT SE 3, H336			
	Aquatic Acute 2, H	Aquatic Acute 2, H401				
			Aquatic Chronic 2, H411			
			Acute Tox. 4; H332, H302, H312			
Sumithrin	0.143	26002-80-2 Aquatic Acute 1; H400				
			Aquatic Chronic 1; H410			
Tetramethrin	0.25	7696-12-0	Aquatic Acute 1; H400			
renameniiii	0.20	0.25 7696-12-0 Aquatic Chronic 1; H410				
Sodium benzoate	0.30	532-32-1	Eye Irrit. 2a; H319			
Water	> 60	7732-18-5	Not classified as dangerous for supply/use.			

#### Additional Information - None

# **SECTION 4: FIRST AID MEASURES**



### Description of first aid measures

Inhalation Not normally required. Move person to fresh air. If breathing is labored,

administer oxygen. If symptoms develop, obtain medical attention.

Skin Contact Wash affected skin with plenty of water. If skin irritation or rash occurs:

Get medical advice/attention.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. If eye irritation persists, get

medical advice/attention.

Ingestion Not normally required. Get medical advice/attention if you feel unwell.

Most important symptoms and effects, both acute and

delayed

None

Indication of any immediate medical attention and

special treatment needed

None

# **SECTION 5: FIRE-FIGHTING MEASURES**

# **Extinguishing Media**

-Suitable Extinguishing Media

-Unsuitable Extinguishing Media

Special hazards arising from the substance or

mixture

None anticipated.

Do not use water jet.

Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing

Extinguish with carbon dioxide, dry chemical, foam or water spray.

<sup>\*</sup> The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and

emergency procedures

Eliminate all ignition sources if safe to do so. Wear protective gloves/eye protection/face protection. Avoid breathing spray. .

Environmental precautions Prevent liquid entering sewers, basements and work pits.

Methods and material for containment and cleaning up

Cover spills with inert absorbent material. Transfer to a container for

disposal or recovery.

Reference to other sections None
Additional Information None

### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

Avoid contact with skin and eyes. Avoid breathing spray. Keep away from

heat/sparks/open flames/hot surfaces. – No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities

-Storage temperature Keep in a cool, well ventilated place. Protect from sunlight. Store at

temperatures not exceeding 50 °C / 122 °F.

-Incompatible materials This product should be stored away from sources of strong heat or

oxidizing chemicals. Strong Acids and Alkalis.

Specific end use(s) Pesticidal spray

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Occupational Exposure Limits**

		(8hr TWA)		(STEL)		
		PEL	TLV	PEL	TLV	
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:
C <sub>9</sub> -C <sub>15</sub> Alkanes & Cycloalkanes	Mixture		1200 mg/m <sup>3</sup>			
Propane	74-98-6	1000 ppm	Aspyx.#			#
n-Butane	106-97-8		250 ppm			

<sup>\*</sup>Assure minimum oxygen content of work atmosphere.

Recommended monitoring method

NIOSH 1500 (hydrocarbons, B.P. 36 - 126 °C), NIOSH 1550

(Naphthas)

**Exposure controls** 

Appropriate engineering controls Provide adequate ventilation to ensure that the occupational exposure

limit is not exceeded.

Personal protection equipment

Eye/face protection Not normally required. Do not get in eyes.

Skin protection (Hand protection/ Other)



Wear suitable gloves if prolonged skin contact is likely. Check with

protective equipment manufacturer's data.

Respiratory protection



Normally no personal respiratory protection is necessary.

Thermal hazards Not normally required.

Environmental Exposure Controls None known

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Aerosol spray Color. Not available Not available Odor Not available Odor Threshold (ppm) Not available pH (Value) Not available Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): Not available Flash Point (°C) -104 (Propane) **Evaporation Rate** Not available Flammable aerosol Flammability (solid, gas)

Explosive Limit Ranges

Z.1% - 9.5% v/v (Propane)

Vapor pressure (Pascal)

Vapor Density (Air=1)

Density (g/ml)

Solubility (Water)

Ca. 1.56 @ 0 °C (Propane)

Z.1% - 9.5% v/v (Propane)

Not available

Not available Solubility (Other) Partition Coefficient (n-Octanol/water) Not available Not available Auto Ignition Point (°C) Not available Decomposition Temperature (°C) Not available Kinematic Viscosity (cSt) Not available Explosive properties Oxidizing properties Not available Not available Other information

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactions None anticipated.

Conditions to avoid

Avoid contact with heat and ignition sources.

Incompatible materials

Strong oxidizing agents. Strong Acids and Alkalis.

Hazardous decomposition product(s)```

Carbon monoxide, Carbon dioxide, Acrid smoke

# **SECTION 11: TOXICOLOGICAL INFORMATION**

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

Naphtha (petroleum) hydrotreated heavy (CAS# 64742-48-9) - By analogy with similar materials:

Acute toxicity Oral: LD50 > 5000 mg/kg (rat)

Dermal: LD50 >2000 mg/kg(rabbit) May cause respiratory irritation.

 Irritation / Corrosivity
 Causes skin irritation.

 Sensitization
 It is not a skin sensitizer.

 Repeated dose toxicity
 None anticipated

Carcinogenicity It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA
No.	No.	No.	No.

Mutagenicity None anticipated

Reproductive toxicity

None anticipated

Propane (CAS# 74-98-6):

Acute toxicity Inhalation: LC50 = 1237 mg/L (2-hr, mouse, gas)

Irritation/Corrosivity

No evidence of irritant effects from normal handling and use.

Sensitisation It is not a skin sensitiser.

Repeated dose toxicity NOAEC: ≥19678 mg/m3 (28-day, rat, Systemic effects)

LOAEC: 21641 mg/m3 (28-day, rat, effects: Body weight)

Carcinogenicity No data. It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity There is no evidence of mutagenic potential.

Reproductive toxicity

None anticipated

## **SECTION 12: ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Naphtha (petroleum) hydrotreated heavy (CAS# 64742-48-9) - By analogy with similar materials:

Acute toxicity LL50 (96 hour) = 8.2 mg/l (Pimephales promelas)

EL50 (48 hour) = 4.5 mg/l (Daphnia magna)

Long Term Toxicity NOELR (21 days) = 2.6 mg/l (*Daphnia magna*)

NOELR (72 hour) = 0.5 mg/L (*Pseudokirchnerella subcapitata*)

Propane (CAS# 74-98-6):

Short term (estimate) LC50 (96 hour): 27.98 mg/L (fish)

LC50 (48 hour): 14.22 mg/L (crustacea) EC50 (96 hour): 7.71 mg/L (algae)

Long Term Toxicity No data.

Other information Contains: Sumithrin (CAS No. 26002-80-2, 0.143%); Tetramethrin (CAS No.

7696-12-0, 0.25%); Very toxic to aquatic life. Very toxic to aquatic life with

long lasting effects.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods Disposal should be in accordance with local, state or national

legislation. Consult an accredited waste disposal contractor or the

local authority for advice.

#### **SECTION 14: TRANSPORT INFORMATION**

	U.S. DOT	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN number	1950	1950	1950
Proper Shipping Name	Aerosols, flammable	Aerosols, flammable	Aerosols, flammable
Transport hazard class(es)	2.1	2.1	2.1
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	None assigned	None assigned	None assigned
Special precautions for user	None assigned	None assigned	None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

# **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or exempt.

EPA FIFRA Information for SDS Section 15 (Regulatory Information):

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non pesticide chemicals.

The hazard information required on the pesticide label is reproduced below:

### **DIRECTIONS FOR USE**

It is a violation for Federal law to use this product in a manner inconsistent with its labeling. **Do not use** this product in areas other than residential, or non-food commercial areas. **SHAKE WELL BEFORE USE**. Hold can in a upright position. Apply in short bursts.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if inhaled or absorbed through skin. Avoid inhalation of spray mist. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and water. For eyes, flush with plenty of water and get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

### PHYSICAL AND CHEMICAL HAZARDS

**FLAMMABLE**. CONTENTS UNDER PRESSURE. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F may cause bursting.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

	Chen	nical Name	CAS No.	•	Typical %wt.		RQ (Pounds)
	None						
		zard Categories:  Sudden Release	e ☐ Reactivity	☐ Im	mediate (acute)	☐ Chronic	c (delayed)
SARA 3	313 - Toxic C	hemicals (40 CFF	R 372):				
		Chemi	cal Name		CAS N	0.	Typical %wt.
	None						

#### SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None			

### California Proposition 65 List:

Chemical Name	CAS No.	Type of Toxicity
None		

# **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16.

Date of preparation: September 4, 2016

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

#### Hazard Statement(s)

- H220: Extremely flammable gas.
- H226: Flammable liquid and vapour.
- H280: Contains gas under pressure; may explode if heated.
- H302: Harmful if swallowed.
- H304: May be fatal if swallowed and enters airways.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H332: Harmful if inhaled.
- H336: May cause drowsiness or dizziness.
- H400: Very toxic to aquatic life.
- H401: Toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.
- H411: Toxic to aquatic life with long lasting effects.

### Training advice: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.