

SAFEGUARD 608 BLACK JACK FLY & MOSQUITO KILLER

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name	Mixture
CAS No.	Mixture
Trade Name	SAFEGUARD BLACK JACK FLY & MOSQUITO KILLER
Product Code	10-500822
EPA Identification Number(s)	EPA Reg. No. 10806-41-8848 EPA Est. No. 34631-PA-001 EPA EST. No. 5893-MA-1

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Pesticidal spray
Uses Advised Against	It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Emergency telephone number

Emergency Phone No.	Transportation Emergency: CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)
---------------------	---

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)	Flam. Aerosol 2; Liquefied gas
-----------------------------	--------------------------------

Label elements

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15 of this SDS.

Hazard Symbol



Signal word(s)

WARNING

Hazard Statement(s)

Flammable aerosol.
Contains gas under pressure; may explode if heated.

Precautionary Statement(s)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F.

Other hazards

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

SAFEGUARD 608 BLACK JACK FLY & MOSQUITO KILLER

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	% wt. *	CAS No.	Hazard classification
Propane	10 - 15	74-98-6	Flam. Gas 1; H220 Liquefied gas; H280
n-Butane	10 - 15	106-97-8	Flam. Gas 1; H220 Liquefied gas; H280
Naphtha (petroleum) hydrotreated heavy	5 - 7	64742-48-9	Flam. Liq. 3; H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Sumithrin	0.143	26002-80-2	Acute Tox. 4; H332, H302, H312 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
Tetramethrin	0.25	7696-12-0	Aquatic Acute 1; H400 Aquatic Chronic 1; H410
Sodium benzoate	0.30	532-32-1	Eye Irrit. 2a; H319
Water	> 60	7732-18-5	Not classified as dangerous for supply/use.

Additional Information - None

* The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation

Not normally required. Move person to fresh air. If breathing is labored, administer oxygen. If symptoms develop, obtain medical attention.

Skin Contact

Wash affected skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion

Not normally required. Get medical advice/attention if you feel unwell.

Most important symptoms and effects, both acute and delayed

None

Indication of any immediate medical attention and special treatment needed

None

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

- Suitable Extinguishing Media
- Unsuitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or water spray. Do not use water jet.

Special hazards arising from the substance or mixture

None anticipated.

Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing

SAFEGUARD 608 BLACK JACK FLY & MOSQUITO KILLER

should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Eliminate all ignition sources if safe to do so. Wear protective gloves/eye protection/face protection. Avoid breathing spray. .
Environmental precautions	Prevent liquid entering sewers, basements and work pits.
Methods and material for containment and cleaning up	Cover spills with inert absorbent material. Transfer to a container for disposal or recovery.
Reference to other sections	None
Additional Information	None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling	Avoid contact with skin and eyes. Avoid breathing spray. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Conditions for safe storage, including any incompatibilities	
-Storage temperature	Keep in a cool, well ventilated place. Protect from sunlight. Store at temperatures not exceeding 50 °C / 122 °F.
-Incompatible materials	This product should be stored away from sources of strong heat or oxidizing chemicals. Strong Acids and Alkalis.
Specific end use(s)	Pesticidal spray

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

SUBSTANCE.	CAS No.	(8hr TWA)		(STEL)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
C ₉ -C ₁₅ Alkanes & Cycloalkanes	Mixture	-----	1200 mg/m ³	-----	-----	-----
Propane	74-98-6	1000 ppm	Aspyx.#	-----	-----	#
n-Butane	106-97-8	-----	250 ppm	-----	-----	-----

*Assure minimum oxygen content of work atmosphere.

Recommended monitoring method

NIOSH 1500 (hydrocarbons, B.P. 36 - 126 °C), NIOSH 1550 (Naphthas)

Exposure controls

Appropriate engineering controls

Provide adequate ventilation to ensure that the occupational exposure limit is not exceeded.

Personal protection equipment

Eye/face protection

Not normally required. Do not get in eyes.



SAFEGUARD 608 BLACK JACK FLY & MOSQUITO KILLER

Skin protection (Hand protection/ Other)



Wear suitable gloves if prolonged skin contact is likely. Check with protective equipment manufacturer's data.

Respiratory protection



Normally no personal respiratory protection is necessary.

Thermal hazards

Not normally required.

Environmental Exposure Controls

None known

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Aerosol spray
Color.	Not available
Odor	Not available
Odor Threshold (ppm)	Not available
pH (Value)	Not available
Melting Point (°C) / Freezing Point (°C)	Not available
Boiling point/boiling range (°C):	Not available
Flash Point (°C)	-104 (Propane)
Evaporation Rate	Not available
Flammability (solid, gas)	Flammable aerosol
Explosive Limit Ranges	2.1% - 9.5% v/v (Propane)
Vapor pressure (Pascal)	ca. 95×10^4 (Propane)
Vapor Density (Air=1)	ca. 1.56 @ 0 °C (Propane)
Density (g/ml)	2.1% - 9.5% v/v (Propane)
Solubility (Water)	Not available
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not available
Auto Ignition Point (°C)	Not available
Decomposition Temperature (°C)	Not available
Kinematic Viscosity (cSt)	Not available
Explosive properties	Not available
Oxidizing properties	Not available
Other information	Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable.
Possibility of hazardous reactions	None anticipated.
Conditions to avoid	Avoid contact with heat and ignition sources.
Incompatible materials	Strong oxidizing agents. Strong Acids and Alkalis.
Hazardous decomposition product(s)''''	Carbon monoxide, Carbon dioxide, Acrid smoke

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Substances in preparations / mixtures

Naphtha (petroleum) hydrotreated heavy (CAS# 64742-48-9) - By analogy with similar materials:

SAFEGUARD 608 BLACK JACK FLY & MOSQUITO KILLER

Acute toxicity Oral: LD50 > 5000 mg/kg (rat)
Dermal: LD50 >2000 mg/kg(rabbit)
May cause respiratory irritation.

Irritation / Corrosivity Causes skin irritation.

Sensitization It is not a skin sensitizer.

Repeated dose toxicity None anticipated

Carcinogenicity It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA
No.	No.	No.	No.

Mutagenicity None anticipated

Reproductive toxicity None anticipated

Propane (CAS# 74-98-6):

Acute toxicity Inhalation: LC50 = 1237 mg/L (2-hr, mouse, gas)

Irritation/Corrosivity No evidence of irritant effects from normal handling and use.

Sensitisation It is not a skin sensitiser.

Repeated dose toxicity NOAEC: ≥19678 mg/m3 (28-day, rat, Systemic effects)
LOAEC: 21641 mg/m3 (28-day, rat, effects: Body weight)

Carcinogenicity No data. It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Mutagenicity There is no evidence of mutagenic potential.

Reproductive toxicity None anticipated

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Naphtha (petroleum) hydrotreated heavy (CAS# 64742-48-9) - By analogy with similar materials:

Acute toxicity LL50 (96 hour) = 8.2 mg/l (*Pimephales promelas*)
EL50 (48 hour) = 4.5 mg/l (*Daphnia magna*)

Long Term Toxicity NOELR (21 days) = 2.6 mg/l (*Daphnia magna*)
NOELR (72 hour) = 0.5 mg/L (*Pseudokirchnerella subcapitata*)

Propane (CAS# 74-98-6):

Short term (estimate) LC50 (96 hour): 27.98 mg/L (fish)
LC50 (48 hour): 14.22 mg/L (crustacea)
EC50 (96 hour): 7.71 mg/L (algae)

Long Term Toxicity No data.

Other information

Contains: Sumithrin (CAS No. 26002-80-2, 0.143%); Tetramethrin (CAS No. 7696-12-0, 0.25%); Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

SAFEGUARD 608 BLACK JACK FLY & MOSQUITO KILLER

SECTION 14: TRANSPORT INFORMATION

	<u>U.S. DOT</u>	<u>Sea transport (IMDG)</u>	<u>Air transport (ICAO/IATA)</u>
UN number	1950	1950	1950
Proper Shipping Name	Aerosols, flammable	Aerosols, flammable	Aerosols, flammable
Transport hazard class(es)	2.1	2.1	2.1
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	None assigned	None assigned	None assigned
Special precautions for user	None assigned	None assigned	None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or exempt.

EPA FIFRA Information for SDS Section 15 (Regulatory Information):

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non pesticide chemicals.

The hazard information required on the pesticide label is reproduced below:

DIRECTIONS FOR USE

It is a violation for Federal law to use this product in a manner inconsistent with its labeling. **Do not use** this product in areas other than residential, or non-food commercial areas. **SHAKE WELL BEFORE USE.** Hold can in a upright position. Apply in short bursts.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or absorbed through skin. Avoid inhalation of spray mist. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and water. For eyes, flush with plenty of water and get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

PHYSICAL AND CHEMICAL HAZARDS

FLAMMABLE. CONTENTS UNDER PRESSURE. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F may cause bursting.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None	----	----	----

SARA 311/312 - Hazard Categories:

Fire Sudden Release Reactivity Immediate (acute) Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None	----	----

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None	----	----	----

California Proposition 65 List:

Chemical Name	CAS No.	Type of Toxicity
None	----	----

SAFEGUARD 608 BLACK JACK FLY & MOSQUITO KILLER

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: September 4, 2016

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H220: Extremely flammable gas.
- H226: Flammable liquid and vapour.
- H280: Contains gas under pressure; may explode if heated.
- H302: Harmful if swallowed.
- H304: May be fatal if swallowed and enters airways.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H332: Harmful if inhaled.
- H336: May cause drowsiness or dizziness.
- H400: Very toxic to aquatic life.
- H401: Toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.
- H411: Toxic to aquatic life with long lasting effects.

Training advice: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.